

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A method, comprising:

receiving at a mobile wireless event handling device, a first signal via a first network, from a monitor adapted to convey information relating to physiological parameters, the first signal comprising at least a general broadcast emergency signal and including information corresponding to the physiological parameters and an identification of the monitor; and

transmitting from the mobile wireless event handling device, a second signal via a second network, the second signal including at least information corresponding to the identification of the monitor.
2. (Original) The method of claim 1, wherein the monitor is an implant.
3. (Original) The method of claim 1, wherein the monitor is adapted to detect, sense, or measure the physiological parameters.
4. (Original) The method of claim 1, wherein the monitor is adapted to stimulate, intervent, or control physiological functions affecting the physiological parameters.
5. (Original) The method of claim 1, wherein the physiological parameters relate to heart function.
6. (Original) The method of claim 1, wherein the physiological parameters relate to brain function.
7. (Original) The method of claim 1, wherein the first signal and the second signal are wireless signals.
8. (Previously presented) The method of claim 7, wherein the first network and the second network are wireless communication networks.

9. (Previously presented) The method of claim 8, wherein the second network is a cellular network.
10. (Original) The method of claim 1, further comprising:
processing the first signal prior to transmitting the second signal.
11. (Original) The method of claim 10, wherein processing further comprises:
verifying a source of the first signal;
identifying an event associated with the first signal and related to the physiological parameters; and
determining a target for the second signal.
12. (Currently amended) A system for handling an event, comprising:
a monitoring device adapted to convey information relating to one or more physiological parameters, the monitoring device being further adapted to transmit a signal via a first network, the signal comprising at least a general broadcast emergency signal and including information corresponding at least to an identification of the monitoring device; and
a mobile wireless event handling device adapted to receive signals from the monitoring device including information corresponding to the identification of the monitoring device, the mobile wireless event handling device being further adapted to transmit a signal including information corresponding to the identification of the monitoring device via a second network.
13. (Original) The system of claim 12, wherein the monitoring device is implanted in a human body.
14. (Original) The system of claim 12, wherein the monitoring device is adapted to detect, sense, or measure the physiological parameters.
15. (Original) The system of claim 12, wherein the monitoring device is adapted to stimulate, intervent, or control physiological functions affecting the physiological parameters.

16. (Original) The system of claim 12, wherein the physiological parameters relate to heart function.

17. (Original) The system of claim 12, wherein the physiological parameters relate to brain function.

18. (Previously presented) The system of claim 12, wherein the monitoring device is adapted to transmit wireless signals.

19. (Original) The system of claim 12, wherein the monitoring device is adapted to transmit a signal when one or more physiological parameters satisfies a predetermined criteria.

20. (Original) The system of claim 12, wherein the monitoring device is adapted to transmit signals on a substantially continuous basis.

21. (Previously presented) The system of claim 12, wherein the mobile wireless event handling device is adapted to transmit signals when one or more physiological parameters satisfies a predetermined criteria.

22. (Previously presented) The system of claim 12, wherein the mobile wireless event handling device is adapted to transmit wireless signals via a second network.

23. (Previously presented) The system of claim 12, wherein the mobile wireless event handling device comprises:

a data processing module adapted to verify a source of signals received, the data processing module being further adapted to identify an event associated with received signals and to determine a target for transmitted signals.

24. (Currently amended) A physiological monitoring device, comprising:

a monitoring module for conveying information relating to physiological parameters; and

a transmitter adapted to transmit a signal to a mobile wireless event handling device via a first network, the signal comprising at least a general broadcast emergency signal

and including information corresponding at least to an identification of said monitoring module, and the signal to be forwarded by the mobile wireless event handling device via a second network.

25. (Original) The device of claim 24, wherein the monitoring module is implanted in a human body.

26. (Original) The device of claim 24, wherein the monitoring module is adapted to detect, sense, or measure the physiological parameters.

27. (Original) The device of claim 24, wherein the monitoring module is adapted to stimulate, intervene, or control physiological functions affecting the physiological parameters.

28. (Original) The device of claim 24, wherein the physiological parameters relate to heart function.

29. (Original) The device of claim 24, wherein the physiological parameters relate to brain function.

30. (Original) The device of claim 24, wherein the transmitter is adapted to transmit wireless signals.

31. (Original) The device of claim 24, wherein the transmitter is adapted to transmit the signal when one or more physiological parameters satisfies a predetermined criteria.

32. (Original) The device of claim 24, wherein the transmitter is adapted to transmit the signal on a substantially continuous basis.

33. (Currently amended) A mobile wireless event handling device, comprising:

a receiving module adapted to receive signals via a first network, from a monitor adapted to convey information relating to physiological parameters, the signals comprising at least a general broadcast emergency signal and including information corresponding to the physiological parameters and an identification of the monitor; and

a transmitting module adapted to transmit signals including at least information corresponding to the identification of the monitor via a second network.

34. (Original) The device of claim 33, wherein the monitor is adapted to detect, sense, or measure the physiological parameters.

35. (Original) The device of claim 33, wherein the monitor is adapted to stimulate, intervene, or control physiological functions affecting the physiological parameters.

36. (Original) The device of claim 33, wherein the transmitting module is adapted to transmit signals when one or more physiological parameters satisfies a predetermined criteria.

37. (Previously presented) The device of claim 33, wherein the transmitting module is adapted to transmit wireless signals via the second network.

38. (Original) The device of claim 33, further comprising:

a data processing module adapted to verify a source of signals received by the receiving module, the data processing module being further adapted to identify an event associated with the signals received by the receiving module and to determine a target for signals transmitted by the transmitting module.

39. (Currently amended) A program product, comprising machine readable program code for causing a mobile wireless event handling device to perform the following steps:

receiving a first signal from a monitor adapted to convey information related to physiological parameters via a first network, the first signal comprising at least a general broadcast emergency signal and including information corresponding to the physiological parameters and an identification of the monitor; and

transmitting a second signal via a second network, the second signal including at least information corresponding to the identification of the monitor.

40. (Previously presented) The method of claim 1, wherein the second signal further includes identification of the mobile wireless event handling device.

41. (Previously presented) The method of claim 1, wherein the first signal comprises a broadcast communication device.